



What to Expect at your Child's Well Visit

A yearly physical exam by your pediatrician is an important part of your child's health care. This annual appointment allows the pediatrician to give your child a thorough physical examination, perform routine screenings (e.g., vision and hearing tests), make sure vaccinations are up-to-date and obtain any recommended laboratory testing. It's also a good opportunity to address important questions relating to nutrition, sleep habits, safety, and development.

During the check-up, we can often address other problems so you don't have to make another trip to the office. Please note, however, that we will have to bill your insurance for an additional office visit when we address these issues. Depending on the terms of your insurance plan, you may be subject to an additional copay and/or deductible amount for the additional services.

Please let us know if you have any questions.

Cockerell & McIntosh Pediatrics

Things You Should Know: Your Child at 6 - 7 Years

NUTRITION

- It is often a challenge to get your child to eat nutritious foods from all four food groups. The best thing you can do is to keep healthy food in the house and offer it for meals and snacks. Limit the amount of fatty foods, salty snacks, sweets and soda you have in the house. If the junk food isn't around, they won't eat it.
- Milk is important for bone growth. **Get three servings per day of skim milk or high calcium food. Avoid all sweet drinks including soda, kool-aid, sports drinks and sweet tea. Limit juice to 6 ounces per day.**
- It is important for your child to **eat a healthy breakfast**. Children who eat breakfast are more likely to have more energy, work faster, be more creative and do better in school.
- **Eat meals together as a family at the kitchen table.** Create a pleasant atmosphere at meal time. Give your child opportunities to join in the conversation.
- **Offer small portions** with second helpings if the child wants more food.
- **The major contributors to obesity are 1) sugar containing drinks 2) fast food and 3) large portion sizes.**
- We recommend a daily multivitamin.

SLEEP PATTERNS

- It is very important for children in school to **have a set bedtime that allows for 8-12 hours of sleep.**

DISCIPLINE

- Discipline is very important. Every child needs structure and limit setting. In fact, many children act out or misbehave to explore what their limits are. By setting limits, you teach your child appropriate behaviors and show that you love and care. Physical punishment may be effective, but often gives the child a message that hitting and physical violence are okay. Time out and taking away toys or privileges are very effective in this age group. Time out should be one minute per year of age. Use this as a teaching tool. Ask if the child understands why the behavior is inappropriate and then forget it after time out is over. Positive reinforcement and consistency are the keys.

SAFETY

- **Children this age should ride in a booster seat in the back seat. A seat belt alone is not safe for children this age.** Be firm about this. Don't leave the driveway until all are buckled up, including you. Set a good example. See the attached sheet for current car seat guidelines.
- **Children should wear appropriate helmets** and protective gear while bicycling, skating and playing sports.
- **To avoid sunburn, limit your child's exposure to the sun and use sunscreen. Purchase a sunscreen that is "broad spectrum" with at least an SPF of 15. Apply the sunscreen 15-30 minutes before going outside.**
- Children should learn to swim.
- There should be smoke detectors outside every bedroom. Check the batteries frequently. Buy a fire extinguisher. Practice a fire safety plan with your child.
- Carbon monoxide detectors are recommended in every home.
- Guns should be locked up and ammunition stored separately.
- Children should be constantly supervised by an adult while around water. Life jackets are critical when boating and swimming in lakes and streams.
- Remind your child not to talk to or get into cars with strangers.
- **Talk about safe touch with your child.** Remind your child that no one should touch parts of the body that are covered by a bathing suit. Teach your child to tell someone if he or she is touched in a way that is unpleasant.
- Talk with your child about street safety. Review crossing the streets at corners, looking both ways, and using traffic lights.

GOOD HEALTH HABITS

- **Exercise is very important** to keep your child healthy. Children who exercise regularly sleep better, have more energy and build strong bones and muscles. It will also help your child feel good about him or herself.
- **Your child should visit the dentist every six months and brush teeth daily with a small amount of fluoride toothpaste.**

GOOD PARENTING PRACTICES

- **Parents should spend active time with their child daily** and praise and encourage their child's activities.
- Show pride and affection in each child's special strengths and praise them often.
- **Rules should be made to be followed at home**, such as bedtime, television and computer time and chores, such as setting the table or keeping the child's room neat. **Limit screen time (TV, computer use, and video games) to no more than 2 hours per day.**
- **Encourage reading** and other hobbies. Help your child get a library card and the family can make regular trips to the library. Read together as a family.
- Consider enrolling your child in community youth sports or encouraging family activities such as biking, running or swimming. If your child is involved in organized sports, make sure the coach emphasizes learning and play more than competition and winning.
- **A drug-free, tobacco-free and alcohol-free environment is essential for your child.**

IMMUNIZATIONS AND WELL VISITS

- We would like to see your child yearly for a well exam.
- There are no scheduled shots at the next well check.

Please do not hesitate to call our office if you have any concerns or questions!



Preventive Care Schedule

Age	Procedures
4-5 Day	Physical Exam Immunizations Hep B (if not given at birth) Labs: None
2 Weeks	Physical Exam
1 Month	Physical Exam Immunizations: Hep B
2 Months	Physical Exam Immunizations: DTaP, Hib, IPV, PCV, Rotavirus
4 Months	Physical Exam Immunizations: DTaP, Hib, IPV, PCV, Rotavirus
6 Months	Physical Exam Immunizations: DTaP, Hib, PCV Rotavirus, Hep B
9 Months	Physical Exam Immunizations: IPV
12 Months	Physical Exam Immunizations: MMR, Varivax, Hep A Labs: Lead, Hematocrit
15 Months	Physical Exam Immunizations: DTaP, Hib, PCV
18 Months	Physical Exam Immunizations: Hep A
2 Years	Physical Exam Immunizations: May need catch-up dose of Hep A Labs: Lead, Hematocrit
30 Months	Physical Exam
3 Years	Physical Exam Labs: Lead Hematocrit
4-5 Years	Physical Exam Immunizations: Immunizations: DTaP, IPV, MMR, Varivax Labs: Lead, Hematocrit, Urinalysis
6-8 Years	Yearly Physical Exam
9-10 Years	Yearly Physical Exam Immunizations: HPV Labs: Cholesterol
11-15 Years	Yearly Physical Exam Immunizations: Tdap, Meningococcal, may need catch-up does of HPV Labs: Hematocrit, Urine, Cholesterol at 11 years if not obtained at 9-10 years
16-18 Years	Yearly Physical Exam Meningococcal Labs: Hematocrit (females only), Cholesterol screening at 17-18 years if not previously performed

Immunization/Lab Key
Cholesterol: blood test to screen for high cholesterol
DTaP: Diphtheria, Tetanus and acellular Pertussis vaccine
Hematocrit: test for anemia
Hep A: Hepatitis A vaccine
Hep B: Hepatitis B vaccine
Hib: Haemophilus Influenzae type B vaccine, an anti-meningitis vaccine
HPV: Human Papillomavirus vaccine for preventing genital warts, cervical cancer and anal cancer
IPV: Inactivated Polio vaccine
Lead: test for lead poisoning
Meningococcal: Meningococcal vaccine, an anti-meningitis vaccine
MMR: Measles, Mumps and Rubella vaccine
PCV: Pneumococcal vaccine, an anti-pneumonia and anti-meningitis vaccine
Rotavirus: Rotavirus vaccine for preventing Rotavirus stomach flu
Tdap: Tetanus, Diphtheria and acellular Pertussis vaccine
Urinalysis: urine test
Varivax: Chickenpox vaccine

CAR SEAT GUIDELINES

- Car seats should be installed tightly using the vehicle seat belt or LATCH system. There should be no more than one inch of movement side to side or front to back.
- Do not place rear-facing car seats in the front seat of vehicles with air bags.
- All children under 2 years old should ride rear-facing. You may switch from an infant seat to a convertible car seat before age 2 years as long as your child remains rear-facing and fits the height and weight requirements of the seat.
- All children younger than 13 years should ride in the back seat.
- A car seat must be replaced if it has been in a moderate or severe crash. Consider replacing seats that have been in a minor crash.
- Always read the car seat manufacturer's instruction manual and your vehicle owner's manual for specific installation instructions.
- For complete guidelines from the American Academy of Pediatrics visit www.healthychildren.org and search for "Car Seats".

Infants/Toddlers (Birth to 2 years)

Weight/Height Requirements: Make sure your child fits within the weight and height limits of the car seat.

Types of Seats: Rear-facing only seat, Convertible seat

Seat Position: Rear-facing

Installation Tips: Harness straps should slide through the slots that are at or below shoulder level. Straps should fit snugly against your child. Make sure the seat is at the correct angle so your child's head does not flop forward.

Toddlers/Preschoolers (2 and 3 year olds)

Weight/Height Requirements: Make sure your child fits within the weight and height limits of the car seat.

Types of Seats: Convertible seat, Forward-facing only seat, Combination seat with harness.

Seat Position: Forward-facing.

Installation Tips: Harness straps should slide through the slots that are at or above shoulder level. Some seats require using the top harness slot for the forward-facing position. Also, you may have to adjust the angle of the seat.

Young Children (4 to 12 year olds)

Weight/Height Requirements: Children should remain in a booster seat until the seat belt fits properly, typically when they are 4 feet 9 inches tall and between 8 and 12 years of age. They should be able to use just the seat belt when they can ride with their knees bent at the seat edge without slouching and with their seat belt low across their upper thighs and snug across their shoulder and middle chest.

Types of Seats: High back booster seat, Backless booster seat

Seat Position: Forward-facing

Installation Tips: Belt-positioning booster seats must be used with both lap and shoulder belts. Make sure the lap belt fits low and snug across your child's upper thighs. The shoulder strap should cross the mid-chest and shoulder.